




ANEL ML








MM E POLEGADA



ML 3 – ML 55 FABRICAMOS ANEL ML EM AÇO CARBONO E AÇO INOX

Dimensionais



Descrição	Nominal d_1	s	Tolerância	d_3	Tolerância	b	d_4	kg/1000
ML 3	3,0	0,40	-0,05	2,18	$\pm 0,06$	0,90	3,98	0,02
ML 4	4,0	0,40	-0,05	3,00	$\pm 0,06$	1,00	5,00	0,04
ML 5	5,0	0,60	-0,05	3,80	$\pm 0,08$	1,20	6,20	0,08
ML 6	6,0	0,70	-0,05	4,80	$\pm 0,08$	1,30	7,40	0,11
ML 6	6,5	0,70	-0,05	5,60	$\pm 0,08$	1,30	8,20	0,12
ML 7	7,0	0,80	-0,05	5,80	$\pm 0,08$	1,40	8,60	0,13
ML 8	8,0	0,80	-0,05	6,80	$\pm 0,09$	1,60	10,00	0,17
ML 9	9,0	1,00	-0,06	7,80	$\pm 0,09$	1,70	11,20	0,22
ML 10	10,0	1,00	-0,06	8,75	$\pm 0,09$	1,70	12,15	0,26
ML 11	11,0	1,00	-0,06	9,65	$\pm 0,18$	1,80	13,20	0,29
ML 12	12,0	1,00	-0,06	10,55	$\pm 0,18$	1,90	14,35	0,32
ML 13	13,0	1,00	-0,06	11,40	$\pm 0,18$	2,00	15,40	0,36
ML 14	14,0	1,00	-0,06	12,30	$\pm 0,18$	2,00	16,30	0,40
ML 15	15,0	1,00	-0,06	13,20	$\pm 0,18$	2,10	17,40	0,46
ML 16	16,0	1,00	-0,06	14,10	$\pm 0,18$	2,20	18,50	0,54
ML 17	17,0	1,00	-0,06	14,90	$\pm 0,18$	2,25	19,40	0,64
ML 18	18,0	1,20	-0,06	15,80	$\pm 0,18$	2,30	20,40	0,72
ML 19	19,0	1,20	-0,06	16,70	$\pm 0,18$	2,40	21,50	0,80
ML 20	20,0	1,20	-0,06	17,55	$\pm 0,18$	2,55	22,65	0,87
ML 22	22,0	1,20	-0,06	19,40	$\pm 0,21$	2,80	25,00	1,10
ML 23	23,0	1,20	-0,06	20,20	$\pm 0,21$	2,90	26,00	1,15
ML 24	24,0	1,20	-0,06	21,10	$\pm 0,21$	3,00	27,10	1,52
ML 25	25,0	1,20	-0,06	22,00	$\pm 0,21$	3,15	28,30	1,74
ML 26	26,0	1,20	-0,06	22,90	$\pm 0,21$	3,25	29,40	1,88
ML 28	28,0	1,50	-0,06	24,60	$\pm 0,21$	3,50	31,60	2,32
ML 30	30,0	1,50	-0,06	26,30	$\pm 0,21$	3,70	33,70	2,43
ML 32	32,0	1,50	-0,06	28,10	$\pm 0,21$	4,00	36,10	3,02
ML 35	35,0	1,50	-0,06	30,80	$\pm 0,25$	4,30	39,40	3,30
ML 36	36,0	1,75	-0,06	31,70	$\pm 0,25$	4,40	40,50	4,40
ML 38	38,0	1,75	-0,06	33,40	$\pm 0,25$	4,60	42,60	4,62
ML 40	40,0	1,75	-0,06	35,20	$\pm 0,39$	4,90	45,00	5,05
ML 42	42,0	1,75	-0,06	37,00	$\pm 0,39$	5,10	47,20	5,46
ML 45	45,0	1,75	-0,06	39,60	$\pm 0,39$	5,50	50,60	5,98
ML 48	48,0	1,75	-0,06	42,30	$\pm 0,39$	5,90	54,10	7,82
ML 50	50,0	2,00	-0,07	44,00	$\pm 0,39$	6,20	56,40	8,85
ML 52	52,0	2,00	-0,07	46,00	$\pm 0,39$	6,30	58,60	9,33
ML 55	55,0	2,00	-0,07	48,50	$\pm 0,39$	6,50	61,50	10,40

Processo de Fabricação - **Estampado**

Material - **Aço SAE 1070 / 6150 CK 67**

Dureza - **47 a 51 HRC**

Acabamentos - **Oxidado / Fosfatizado / Zincado / Organometálico**

ANEL ML

Aço Inox: Anel ML em Aço Inox Série 300 e 400

Inox 304 / 316 / 430

***Obs: Reservamos o Direito de Qualquer Alteração sem Prévio Aviso**